Contents of Volume 53

Vol. 53, Nos. 1–2 September 2003

Isolation and identification of a super strong plant promoter from cotton leaf curl Multan virus
Y. Xie, Y. Liu, M. Meng, L. Chen, Z. Zhu 1–14

Characterization of all the subunits of replication factor C from a higher plant, rice (*Oryza sativa* L.), and their relation to development
T. Furukawa, T. Ishibashi, S. Kimura, H. Tanaka, J. Hashimoto, K. Sakaguchi 15–25

Characterization of two phosphate transporters from barley; evidence for diverse function and kinetic properties among members of the Pht1 family
A.L. Rae, D.H. Cybinski, J.M. Jarmey, F.W. Smith 27–36

A RING-H2 zinc-finger protein gene *RIE1* is essential for seed development in *Arabidopsis*
R. Xu, C.Q. Li 37–50

Fructose-2,6-bisphosphate contents were increased in response to salt, water and osmotic stress in leaves of *Bruguiera gymnorrhiza* by differential changes in the activity of the bifunctional enzyme 6-phosphofructo-2-kinase/fructose-2,6-bisphosphate 2-phosphatase
T. Banzai, N. Hanagata, Z. Dubinsky, I. Karube 51–59

Sensitization of defense responses and activation of programmed cell death by a pathogen-induced receptor-like protein kinase in *Arabidopsis*
K. Chen, L. Du, Z. Chen 61–74

Post-transcriptional regulation of expression of the *Bronze2* gene of *Zea mays* L.
C.F. Pairoba, V. Walbot 75–86

Antisense-mediated down-regulation of putrescine *N*-methyltransferase activity in transgenic *Nicotiana tabacum* L. can lead to elevated levels of anatabine at the expense of nicotine
Y. Chintapakorn, J.D. Hamill 87–105

A novel male-sterile mutant of *Arabidopsis thaliana*, *faceless pollen-1*, produces pollen with a smooth surface and an acetolysis-sensitive exine
T. Ariizumi, K. Hatakeyama, K. Hinata, S. Sato, T. Kato, S. Tabata, K. Toriyama 107–116

Profiling ethylene-regulated gene expression in *Arabidopsis thaliana* by microarray analysis
G.Y. Zhong, J.K. Burns 117–131

Resources for targeted insertional and deletional mutagenesis in *Arabidopsis*
S. Zhang, S. Raina, H. Li, J. Li, E. Dec, H. Ma, H. Huang, N.V. Fedoroff 133–150

A 2.5-kb insert eliminates acid soluble invetase isozyme II transcript in carrot (*Daucus carota* L.) roots, causing high sucrose accumulation
Y.-Y. Yau, P.W. Simon 151–162

Conservation and divergence of *ASK1* and *ASK2* gene functions during male meiosis in *Arabidopsis thaliana*
D. Zhao, T. Han, E. Risseeuw, W.L. Crosby, H. Ma **163–173**

Bifunctional aldehyde/alcohol dehydrogenase (ADHE) in chlorophyte algal mitochondria
A. Atteia, R. van Lis, G. Mendoza-Hernández, K. Henze, W. Martin, H. Riveros-Rosas, D. González-Halphen **175–188**

Epoxide hydrolase: a mRNA induced by the fungal pathogen *Alternaria alternata* on rough lemon (*Citrus jambhiri* Lush)
K. Gomi, H. Yamamato, K. Akimitsu **189–199**

***Arabidopsis* transportin1 is the nuclear import receptor for the circadian clock-regulated RNA-binding protein *At*GRP7**
A. Ziemienowicz, D. Haasen, D. Staiger, T. Merkle **201–212**

Biochemical evidence linking a putative callose synthase gene with (1→3)-β-D-glucan biosynthesis in barley
J. Li, R.A. Burton, A.J. Harvey, M. Hrmova, A.Z. Wardak, B.A. Stone, G.B. Fincher **213–225**

Cyklin D-knockout uncouples developmental progression from sugar availability
S. Lorenz, S. Tintelnot, R. Reski, E.L. Decker **227–236**

Isolation of a subfamily of genes for R2R3-MYB transcription factors showing up-regulated expression under nitrogen nutrient-limited conditions
K. Miyake, T. Ito, M. Senda, R. Ishikawa, T. Harada, M. Niizeki, S. Akada **237–245**

An *Arabidopsis thaliana* T-DNA mutagenized population (GABI-Kat) for flanking sequence tag-based reverse genetics
M.G. Rosso, Y. Li, N. Strizhov, B. Reiss, K. Dekker, B. Weisshaar **247–259**

Vol. 53, No. 3 October (I) 2003

Editorial **v**

Letter to the Editor

A unified nomenclature for *Arabidopsis* dynamin-related large GTPases based on homology and possible functions
Z. Hong, S.Y. Bednarek, E. Blumwald, I. Hwang, G. Jurgens, D. Menzel, K.W. Osteryoung, N.V. Raikhel, K. Shinozaki, N. Tsutsumi, D.P.S. Verma **261–265**

Emerging issues

Domains of expansin gene expression define growth regions in the shoot apex of tomato
H. Vogler, D. Caderas, T. Mandel, C. Kuhlemeier **267–272**

Identification of rice (*Oryza sativa*) proteins linked to the cyclin-mediated regulation of the cell cycle
B. Cooper, D. Hutchison, S. Park, S. Guimil, P. Luginbühl, C. Ellero, S.A. Goff, J. Glazebrook **273–279**

Mini-review

Chromatin-associated HMGA and HMGB proteins: versatile co-regulators of DNA-dependent processes
K.D. Grasser 281–295

Regular articles

Phragmoplastin dynamics: multiple forms, microtubule association and their roles in cell plate formation in plants
Z. Hong, C.J. Geisler-Lee, Z. Zhang, D.P.S. Verma 297–312

ABI3 mediates expression of the peroxiredoxin antioxidant *AtPER1* gene and induction by oxidative stress
C. Haslekås, P.E. Grini, S.H. Nordgard, T. Thorstensen, M.K. Viken, V. Nygaard, R.B. Aalen 313–326

Methylation of the exon/intron region in the *Ubi1* promoter complex correlates with transgene silencing in barley
L. Meng, P. Bregitzer, S. Zhang, P.G. Lemaux 327–340

Characterization of the targeting signal of dual-targeted pea glutathione reductase
O. Chew, C. Rudhe, E. Glaser, J. Whelan 341–356

The *OsFOR1* gene encodes a polygalacturonase-inhibiting protein (PGIP) that regulates floral organ number in rice
S. Jang, B. Lee, C. Kim, S.-J. Kim, J. Yim, J.-J. Han, S. Lee, S.-R. Kim, G. An 357–369

Expression and RNA binding properties of the chloroplast ribosomal protein S1 from *Chlamydomonas reinhardtii*
L. Merendino, A. Falciatore, J.-D. Rochaix 371–382

Molecular characterization of *Brassica napus* NAC domain transcriptional activators induced in response to biotic and abiotic stress
D. Hegedus, M. Yu, D. Baldwin, M. Gruber, A. Sharpe, I. Parkin, S. Whitwill, D. Lydiate 383–397

Highly abundant pea LTR retrotransposon *Ogre* is constitutively transcribed and partially spliced
P. Neumann, D. Požárková, J. Macas 399–410

Tomato EF-Ts$_{mt}$, a functional mitochondrial translation elongation factor from higher plants
M. Benichou, Z. Li, B. Tournier, A. Chaves, H. Zegzouti, A. Jauneau, C. Delande, A. Latché, M. Bouzayen, L.L. Spremulli, J.-C. Pech 411–422

Vol. 53, No. 4 November (I) 2003

Genome-wide gene expression in an *Arabidopsis* cell suspension
M. Menges, L. Hennig, W. Gruissem, J.A.H. Murray 423–442

Transcripome analysis of O_3-exposed Arabidopsis reveals that multiple signal pathways act mutually antagonistically to induce gene expression
M. Tamaoki, N. Nakajima, A. Kubo, M. Aono, T. Matsuyama, H. Saji 443–456

***Arabidopsis* transcript profiling on Affymetrix GeneChip arrays**
L. Hennig, M. Menges, J.A.H. Murray, W. Gruissem 457–465

Evaluation of light regularity potential of Calvin cycle steps based on large-scale gene expression profiling data
N. Sun, L. Ma, D. Pan, H. Zhao, X. Wang Deng 467–478

transcriptome analysis reveals novel features of the molecular events occurring in the laticifers of *Hevea brasiliensis* (para rubber tree)
J.-H. Ko, K.-S. Chow, K.-H. Han 479–492

Rootstock effects on gene expression patterns in apple tree scions
P.J. Jenson, J. Rytter, E.A. Detwiler, J.W. Travis, T.W. McNellis 493–511

Expression of an *Arabidopsis* phosphoglycerate mutase homologue is localized to apical meristems, regulated by hormones, and induced by sedentary plant-parasitic nematodes
M. Mazarei, K.A. Lennon, D.P. Puthoff, S.R. Rodermel, T.J. Baum 513–530

DCL is a plant-specific protein required for plasmid ribosomal RNA processing and embryo development
M. Bellaoui, J.S. Keddie, W. Gruissem 531–543

Isolation, sequence analysis, and expression studies of florally expressed cDNAs in *Arabidopsis*
W. Hu, Y. Wang, C. Bowers, H. Ma 545–563

Genetic mapping and molecular characterization of the self-incompatibility (*S*) locus in *Petunia inflata*
Y. Wang, X. Wang, A.G. McCubbin, T.h. Kao 565–580

The *elongation defective1* mutant of *Arabidopsis* is impaired in the gene encoding a serine-rich secreted protein
K. Lertpiriyapong, Z.R. Sung 581–595

Characterization of *Pt*MYB1, an R2R3-MYB from pine xylem
A. Patzlaff, L.J. Newman, C. Dubois, R.W. Whetten, C. Smith, S. McInnis, M.W. Bevan, R.R. Sederoff, M.M. Campbell 597–608

Vol. 53, No. 5 November (II) 2003

Selective transcription and post-transcriptional processing of the heteroplasmic mitochondrial *orf156* copies in the nucleur-cytoplasm hybrids of wheat
K. Kitagawa, S. Takumi, C. Nakamura 609–619

***Physcomitrella patens* as a model for the study of chloroplast protein transport: conserved machineries between vascular and non-vascular plants**
N.R. Hoffmann, S.M. Theg 621–632

Members of the quaporin family in the developing pea seed coat include representatives of the PIP, TIP, and NIP subfamilies
J.A.M.J. Schuurmans, J.T. van Dongen, B.P.W. Rutjens, A. Boonman, C.M.J. Pieterse, A.C. Borstlap 633–645

Mutation of a family 8 glycosyltransferase gene alters cell wall carbohydrate composition and causes a humidity-sensitive semi-sterile dwarf phenotype in *Arabidopsis*
N.T. Lao, D. Long, S. Kiang, G. Coupland, D.A. Shoue, N.C. Carpita, T.A. Kavanagh 647–661

Cestrum yellow leaf curling virus (CmYLCV) promotor: a new strong constitutive promoter for heterologous gene expression in a wide variety of crops
L. Stavolone, M. Kononova, S. Pauli, A. Ragozzino, P. de Haan, S. Milligan, K. Lawton, T. Hohn 663–673

Spontaneous mutation frequency in plants obscures the effect of chimeraplasty
R. Ruiter, I. Van Den Brande, E. Stals, S. Delauré, M. Cornellissen, K. D'Halluin 675–690

***In vivo* phosphorylation of a recombinant peptide substrate of DCPK suggests involvement of CDPK in plant stress responses**
J. Shao, A.C. Harmon 691–700

Rapid induction of a protein disulfide isomerase and defense-related genes in wheat in response to the hemibiotrophic fungal pathogen *Mycosphaerella graminicola*
S. Ray, J.M. Anderson, F.I. Urmeev, S.B. Goodwin 701–714

***Arabidopsis* MBD proteins show different binding specificities and nuclear localization**
F. Scebba, G. Bernacchia, M. De Bastiani, M. Evangelista, R.M. Cantoni, R. Cella, M.T. Locci, L. Pitto 715–731

Vol. 53, No. 6 December 2003

Isoflavonoid biosynthesis and accumulation in developing soybean seeds
S. Dhaubhadel, B.D. McGarvey, R. Williams, M. Gijzen 733–743

Identification of differentially expressed cDNA sequences in ovaries of sexual and apomictic plants of *Brachiaria brizantha*
J.C.M. Rodrigues, G.B. Cabral, D.M.A. Dusi, L.V. de Mello, D.J. Rigden, V.T.C. Carneiro 745–757

Fertilization induces strong accumulation of a histone deacetylase (HD2) and of other chromatin-remodeling proteins in restricted areas of the ovules
M. Lagacé, S.-C. Chantha, G. Major, D.P. Matton 759–769

Identification and analysis of expressed resistance gene sequences in wheat
M. Dilbirligi, K.S. Gill 771–787

The DNA-B of the non-phloem-limited bean dwarf mosaic virus (BDMV) is able to move the phloem-limited *Abutilon* mosaic virus (AbMV) out of the phloem, but DNA-B of AbMV is unable to confine BDMV to the phloem
A. Levy, H. Czosnek 789–803

Changes in gene expression in response to altered *SHL* transcript levels
C. Müssig, T. Altmann 805–820

ZmEBE genes show a novel, continuous expression pattern in the central cell before fertilization and in specific domains of the resulting endosperm after fertilization
J.-L. Magnard, G. Lehouque, A. Massonneau, N. Frangne, T. Heckel, J.F. Gutierrez-Marcos, P. Perez, C. Dumas, P.M. Rogowsky 821–836

L-Gulono-1,4-lactone oxidase expression rescues vitamin C-deficient *Arabidopsis* (*vtc*) mutants
J.A. Radzio, A. Lorence, B.I. Chevone, C.L. Nessler 837–844

Gene expression during anthesis and senescence in *Iris* flowers
W.G. van Doorn, P.A. Balk, A.M. van Houwelingen, F.A. Hoeberichts, R.D. Hall, O. Vorst, C. van der Schoot, M.F. van Wordragen 845–863

Prokaryotic orthologues of mitochondrial alternative oxidase and plastid terminal oxidase
A.E. McDonald, S. Amirsadeghi, G.C. Vanlerberghe 865–876

CHRK1, a chitinase-related receptor-like kinase, plays a role in plant development and cytokinin homeostasis in tobacco
J.H. Lee, K. Takei, H. Sakakibara, H.S. Cho, D.M. Kim, Y.S. Kim, S.R. Min, W.T. Kim, D.Y. Sohn, Y.P. Lim, H.-S. Pai **877–890**

An insect peptide engineered into the tomato prosystemin gene is released in transgenic tobacco plants and exerts biological activity
C. Tortiglione, V. Fogliano, R. Ferracane, P. Fanti, F. Pennacchio, L.M. Monti, R. Rao **891–902**

Instructions to authors **903–906**

Volume contents **907–912**

Authors index **913–914**